

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Cyanolit® 201

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses

SU3	Industrial uses: Uses of substances as such or in preparations at industrial sites
PC1	Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

Address/Supplier

Panacol-Elosol GmbH
 Stierstädter Str. 4
 61449 Steinbach (Taunus)
 Telephone no. +49 (0)6171/6202-0
 Fax no. +49 (0)6171/6202-590
 E-mail address of person responsible for this SDS msds@panacol.de

1.4. Emergency telephone number

During regular office hours +49 6171 6202 0; all other times call your local Poison Control Center.

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)	
Skin Irrit. 2	H315
Eye Irrit. 2	H319
STOT SE 3	H335

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008
 For explanation of abbreviations see section 16.

2.2. Label elements

Hazard pictograms



Signal word

Warning

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Precautionary statements ***

P261.9	Avoid breathing vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

P312

lenses, if present and easy to do. Continue rinsing.

P501.A

Call a POISON CENTER/doctor/ if you feel unwell.

Dispose of waste according to applicable legislation.

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains

Ethyl-2-cyanoacrylat

Supplemental information

EUH202

Cyanoacrylate. Danger. Bonds skin and eyelids in seconds. Keep out of the reach of children.

2.3. Other hazards

No special hazards have to be mentioned.

SECTION 3: Composition/information on ingredients**Chemical characterization**

Cyanolit 201

Hazardous ingredients**Ethyl-2-cyanoacrylat**

CAS No. 7085-85-0
 EINECS no. 230-391-5
 Registration no. 01-2119527766-29
 Concentration >= 50 %
 Classification (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319
STOT SE 3	H335
Skin Irrit. 2	H315
	EUH202

Concentration limits (Regulation (EC) No. 1272/2008)

STOT SE 3	H335	>= 10
-----------	------	-------

SECTION 4: First aid measures**4.1. Description of first aid measures****General information**

Remove contaminated, soaked clothing immediately and dispose of safely. Adhere to personal protective measures when giving first aid. In any case show the physician the Safety Data Sheet.

After inhalation

Ensure supply of fresh air. When vapours are intensively inhaled, seek medical help immediately.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

After ingestion

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed**Hints for the physician / hazards**

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Dry powder, Carbon dioxide, Foam

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case the product spills into sewage waters, immediately inform the authorities.

6.3. Methods and material for containment and cleaning up

Pick up with absorbent material. Dispose of absorbed material in accordance with the regulations.

6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid formation of aerosols. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep container tightly closed. Observe the usual precautions for handling chemicals.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep in original packaging, tightly closed. Storage rooms must be properly ventilated. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Provide solvent-resistant and impermeable floor.

Storage classes

Storage class according to TRGS 510 10 Flammable liquids

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from heat and direct sunlight. Observe TDS precautions.

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Other information

There are not known any further control parameters.

8.2. Exposure controls

General protective and hygiene measures

Hold eye wash fountain available. Do not inhale gases/vapours/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

Respiratory protection

In case of insufficient ventilation, wear suitable respiratory equipment. Short term: filter apparatus, Filter A

Hand protection

Chemical resistant gloves

Use	Short-term hand contact
Appropriate Material	nitrile
Material thickness	>= 0,4 mm
Breakthrough time	> 480 min

Eye protection

Safety glasses with side protection shield

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	liquid
Colour	colourless
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Remarks	not determined
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Value	62 °C
Flash point	
Value	83 °C
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
not determined	
Upper/lower flammability or explosive limits	
Remarks	not determined

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Value	1,05		g/cm ³
Temperature	25	°C	

Solubility in water

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

Viscosity

Remarks not determined

Explosive properties

evaluation not determined

Oxidising properties

Remarks not determined

9.2. Other information**Other information**

None known

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

No hazardous reactions known.

10.5. Incompatible materials

None known

10.6. Hazardous decomposition products

Irritant gases/vapours

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity**

Remarks not determined

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

Acute dermal toxicity

Remarks not determined

Acute inhalational toxicity

Remarks not determined

Skin corrosion/irritation

Remarks not determined

Serious eye damage/irritation

Remarks not determined

Sensitization

Remarks not determined

Subacute, subchronic, chronic toxicity

Remarks not determined

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

Experience in practice

Inhalation may lead to irritation of the respiratory tract.

Other information

No toxicological data are available.

SECTION 12: Ecological information**12.1. Toxicity****General information**

not determined

12.2. Persistence and degradability**General information**

not determined

12.3. Bioaccumulative potential**General information**

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil**General information**

not determined

12.5. Results of PBT and vPvB assessment**General information**

not determined

12.6. Other adverse effects

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

General information

not determined

General information / ecology

Do not allow to enter soil, waterways or waste water canal. Avoid release into the atmosphere.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations for the product**

EWC waste code 08 04 09* waste adhesives and sealants containing organic solvents or other dangerous substances

Dispose of waste according to applicable legislation.

Disposal recommendations for packaging

EWC waste code 15 01 10* packaging containing residues of or contaminated by dangerous substances

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
14.1. UN number	Non-dangerous goods	The product does not constitute a hazardous substance in sea transport.	The product does not constitute a hazardous substance in air transport.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Water Hazard Class (Germany)**

Water Hazard Class (Germany) WGK 1

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

Verordnung brennbare Flüssigkeiten (VbF)

VbF: N U

VOC

VOC (EU) 0 % 0 g/l

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information**Hazard statements listed in Chapter 3**

EUH202 Cyanoacrylate. Danger. Bonds skin and eyelids in seconds. Keep out of the reach of children.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

CLP categories listed in Chapter 3

Eye Irrit. 2 Eye irritation, Category 2

Trade name: Cyanolit® 201

Version: 3 / DE

Date revised: 23.11.2017

Replaces Version: 2 / DE

Print date: 16.03.2021

Skin Irrit. 2
STOT SE 3

Skin irritation, Category 2
Specific target organ toxicity - single exposure, Category 3

Department issuing safety data sheet

Department product safety

Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: ***
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.